Division of Health Care Facilities

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	TN4401	A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	06/04/2012

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
MABRY HEALTH CARE	1340 N GRUNDY QUARLES HWY P O BOX 7 GAINESBORO, TN 38562

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
N 002	1200-8-6 No Deficiencies Based on observations, testing and records review, it was determined the facility had no Life Safety deiciencies.	N 002		

Division of Health Care Facilities

Kathleen M. Graves

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE: Adm

(X6) DATE: 6/19-2012

JUN 2 1 2012